


MODÈLE AML

BASE DE BÉTON PYRAMIDALE



- A : Dimension de la base
- B : Dimension du dessus
- E : Diamètre du cercle de boulonnage
- F : Hauteur de projection
- G : Boulons d'ancrage

Voir dimensions disponibles aux pages suivantes.

MODÈLE AML

BASE DE BÉTON PYRAMIDALE

MODÈLE	A mm	B mm	D mm	Poids ± kg
BL4060-1250	600 24"	400 16"	1250 49"	780 kg 1720 lbs
BL4060-1800	600 24"	400 16"	1800 71"	1130 kg 2491 lbs
BL4060-2100	600 24"	400 16"	2100 83"	1320 kg 2910 lbs
BL4060-2440	600 24"	400 16"	2440 96"	1530 kg 3373 lbs
BL4060-2700	600 24"	400 16"	2700 106"	1690 kg 3725 lbs
BL4075-1800	750 30"	400 16"	1800 71"	1570 kg 3461 lbs
BL4076-1800	760 30"	400 16"	1800 71"	1600 kg 3525 lbs
BL4268-2100	680 27"	420 17"	2100 83"	1620 kg 3571 lbs
BL4276-2800	760 30"	420 17"	2800 110"	2540 kg 5600 lbs
BL4469-2100	690 27"	440 17"	2100 83"	1690 kg 3726 lbs
BL4476-2700	760 30"	440 17"	2700 106"	2510 kg 5535 lbs
BL4560-1800	600 24"	450 18"	1800 71"	1220 kg 2690 lbs
BL4575-1800	750 30"	450 18"	1800 71"	1660 kg 3660 lbs
BL4590-1800	900 35"	450 18"	1800 71"	2190 kg 4828 lbs
BL4585-2100	850 33"	450 18"	2100 83"	2340 kg 5160 lbs
BL4590-2440	900 35"	450 18"	2440 96"	2980 kg 6570 lbs

www.aubertetmarois.com

T. (418)831-3414

T. 1(855)831-3414

F. (418)836-1398



MODÈLE AML

BASE DE BÉTON PYRAMIDALE

MODÈLE	A mm	B mm	D mm	Poids ± kg
BL5075-2150	750 30"	500 20"	2150 85"	2100 kg 4630 lbs
BL5085-2100	850 33"	500 20"	2100 83"	2460 kg 5423 lbs
BL5090-2400	900 35"	500 20"	2400 94"	3060 kg 6745 lbs
BL5575-1800	750 30"	550 22"	1800 71"	1880 kg 4145 lbs
BL5590-1800	900 35"	550 22"	1800 71"	2410 kg 5315 lbs
BL5590-2000	900 35"	550 22"	2000 79"	2680 kg 5908 lbs
BL6090-1800	900 35"	600 24"	1800 71"	2540 kg 5600 lbs
BL6083-2100	830 33"	600 24"	2100 83"	2650 kg 5842 lbs
BL6090-2700	900 35"	600 24"	2700 106"	3800 kg 8380 lbs
BL6199-1700	990 39"	610 24"	1700 67"	2770 kg 6107 lbs
BL61120-1800	1200 47"	610 24"	1800 71"	3930 kg 8665 lbs
BL65100-1800	1000 39"	650 26"	1800 71"	3080 kg 6790 lbs
BL65108-2200	1080 43"	650 26"	2200 87"	4210 kg 9280 lbs
BL65120-2800	1200 47"	650 26"	2800 110"	6280 kg 13845 lbs
BL7585-2100	850 33"	750 30"	2100 83"	3250 kg 7165 lbs
BL7590-2400	900 35"	750 30"	2400 94"	3970 kg 8752 lbs